

# SecuRam Safe & ATM Locks



Push button  
access for every  
day use



SpinDial Access for  
Xtreme situations



SecuRam: Reliable. Innovative. Trusted.

**SecuRAM**

Rev. 060918A



## Table of Contents

|  |      |   |     |
|--|------|---|-----|
| SecuRam Table of Contents.....   | 1.1  |   |     |
| <b>•SafeLogic Series</b> – Ideal for Home, Gun Safes and Commercial Applications       |      | <b>•ScanLogic Series</b> – Biometric Fingerprint Authentication |     |
| • Basic w/ SureLock .....  | 2.1  | • Swipe.....  | 5.1 |
| • Basic .....  | 2.2  | • Optical.....  | 5.2 |
| • TopLit.....  | 2.3  | • Audit.....  | 5.3 |
| • BackLit.....   | 2.4  | • D22.....  | 5.4 |
| • P Series.....  | 2.5  | • D26.....  | 5.5 |
| • PN Series.....   | 2.6  | • D66.....  | 5.6 |
| • SafeLogic Custom Locks.....  | 2.7  |   |     |
| <b>•ProLogic Series</b> - Designed to meet the requirements of Commercial Applications |      | <b>•Accessories</b>   |     |
| • L01.....   | 3.1  | • Accessory Descriptions.....                                   | 6.1 |
| • B01.....   | 3.2  | • EntryPad, Multi-Lock, Lock.....                               | 6.2 |
| • L02.....   | 3.3  | • Cables, Tools, Bolts, Stands.....                             | 6.3 |
| • L22.....   | 3.4  | • Software.....   | 6.4 |
| • L62.....   | 3.5  |   |     |
| • L66.....   | 3.6  | <b>•Comparison Tables</b>                                       |     |
| • E66.....   | 3.7  | • SafeLogic Series .....  | 7.1 |
| • OL66.....  | 3.8  | • ProLogic Series .....   | 7.2 |
| • L66WR.....   | 3.9  | • Xtreme Series .....   | 7.3 |
| • ProLogic WebLink.....  | 3.10 | • ScanLogic Series .....  | 7.4 |
| • ProLogic R22.....  | 3.11 |   |     |
| • ProLogic OTC.....  | 3.12 |   |     |
| <b>•XTREME Series</b> – Ideal for Home, Gun Safes and Commercial Applications          |      |   |     |
| • SafeLogic Xtreme.....  | 4.1  |   |     |
| • SafeLogic Xtreme w/ Smartphone Connectivity.....                                     | 4.2  |   |     |
| • ProLogic Xtreme L02.....   | 4.3  |   |     |
| • ProLogic Xtreme L22.....   | 4.4  |   |     |
| • ProLogic Xtreme L66.....   | 4.5  |   |     |

SecuRam is a forward thinking company that strives to meet the security needs of its customers through innovative electronic engineering. We welcome the opportunity to work with you, our customers, to design tomorrow's security solutions today. Please feel free to contact us to discuss your next generation electronic security requirements.



# SecuRam Facts and Resources

**Website:** [www.asiacashms.com](http://www.asiacashms.com)

A resource for product information, part numbers, operation guides.

## **Quality Second to None!**

Every lock is cycled 2000 times before being certified for shipment!

## **Warranty**

12 Month “**DATE OF SERVICE**” Product Replacement Warranty (from date the End User puts the lock system into service)

**First in the Industry:** No other safe lock manufacturer offers a “Date of Service” warranty

## **Lead time**

Generally our production lead time is 4-6 weeks. However we make every effort to maintain stock of fast moving items. If it is in stock, it will ship same day.

## **To Place an Order:**

Step 1: Choose the EntryPad based on the available features

Step 2: Choose the Finish

Step 3: Choose the Lock Body for your application

Contact your local Safe Lock Distributor for more information or to place an order



# ACMS

**Asia Cash Management Systems Co., Ltd.**

338/47 Baan Klang Muang Meng Jai-Ladprao,  
Soi Ladprao 80 (Jantima), Ladprao Rd., Wangthonglang,  
Bangkok 10310 Thailand

TEL: +66 (0)89 812 0088

Email: [sales@asiacashms.com](mailto:sales@asiacashms.com)

# SecuRAM



# SafeLogic Basic with SureLock

## Features

- 2 User Codes
  - Manager Code
  - User Code
- 6 Digit Code
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Simple Mechanical Reset
- Standard footprint makes for easy retrofit
- SureLock Battery Management
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome



| Part #         | Description                    |
|----------------|--------------------------------|
| EC-0601A-II-CH | SafeLogic Basic - Chrome       |
| EC-0601A-II-BR | SafeLogic Basic - Brass        |
| EC-0601A-II-NI | SafeLogic Basic - Nickel       |
| EC-0601A-II-BC | SafeLogic Basic - Black Chrome |

## Choose your Lock:

| Part #  | Description |
|---------|-------------|
| EL-0601 | SwingBolt   |
| EL-0701 | DeadBolt    |
| EL-0801 | SpringBolt  |
| EL-0901 | StrikeBolt  |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)

SecuRam: Reliable. Innovative. Trusted.

**SecuRAM**



# SafeLogic Basic

## Features

- 2 User Codes
  - Manager Code
  - User Code
- 6 Digit Code
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Simple Mechanical Reset
- Standard footprint makes for easy retrofit
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome



| Part #      | Description                     |
|-------------|---------------------------------|
| EC-0601A-CH | SafeLogic Basic – Chrome        |
| EC-0601A-BR | SafeLogic Basic - Brass*        |
| EC-0601A-NI | SafeLogic Basic - Nickel*       |
| EC-0601A-BC | SafeLogic Basic - Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #  | Description |
|---------|-------------|
| EL-0601 | SwingBolt   |
| EL-0701 | DeadBolt    |
| EL-0801 | SpringBolt  |
| EL-0901 | StrikeBolt  |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)



# SafeLogic TopLit

## Features

- TopLit EntryPad
- 2 User Codes
  - Manager Code
  - User Code
- 6 Digit Code
- Penalty LockOut after 4 incorrect codes
- Removable Ring – Color Change
- Polycarbonate EntryPad Housing
- Can be paired with any SecuRam Lock
- Simple Mechanical Reset
- Standard footprint makes for easy retrofit
- Finishes:
  - Chrome
  - Brass



Removable Ring for  
Easy Finish Change  
PL-BR – Brass  
PL-CH – Chrome  
See Accessories 5.2



| Part #         | Description               |
|----------------|---------------------------|
| EC-0601A-PL-CH | SafeLogic TopLit - Chrome |
| EC-0601A-PL-BR | SafeLogic TopLit - Brass  |

## Choose your Lock:

| Part #  | Description |
|---------|-------------|
| EL-0601 | SwingBolt   |
| EL-0701 | DeadBolt    |
| EL-0801 | SpringBolt  |
| EL-0901 | StrikeBolt  |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)



# SafeLogic BackLit

## Features

- BackLit EntryPad
- 2 User Codes
  - Manager Code
  - User Code
- 6 Digit Code
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Simple Mechanical Reset
- Standard footprint makes for easy retrofit
- SureLock Battery Management
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome



| Part #            | Description                       |
|-------------------|-----------------------------------|
| EC-0601A-BL-II-CH | SafeLogic BackLit - Chrome        |
| EC-0601A-BL-II-BR | SafeLogic BackLit- Brass          |
| EC-0601A-BL-II-NI | SafeLogic BackLit - Nickel*       |
| EC-0601A-BL-II-BC | SafeLogic BackLit - Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #  | Description |
|---------|-------------|
| EL-0601 | SwingBolt   |
| EL-0701 | DeadBolt    |
| EL-0801 | SpringBolt  |
| EL-0901 | StrikeBolt  |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)

SecuRam: Reliable. Innovative. Trusted.

**SecuRAM**



# SafeLogic P Series

## Features

- 2 User Codes
  - Manager Code
  - User Code
- 6 Digit Code
- Penalty LockOut after 4 incorrect codes
- Polycarbonate EntryPad Housing
- Can be paired with any SecuRam Lock
- Simple Mechanical Reset
- Standard footprint makes for easy retrofit
- Finishes:
  - Chrome
  - Brass



**\*Special Order – 8 Week Delivery**

| Part #        | Description                   |
|---------------|-------------------------------|
| EC-0601A-P-CH | SafeLogic P Series – Chrome * |
| EC-0601A-P-BR | SafeLogic P Series - Brass *  |

## Choose your Lock:

| Part #  | Description |
|---------|-------------|
| EL-0601 | SwingBolt   |
| EL-0701 | DeadBolt    |
| EL-0801 | SpringBolt  |
| EL-0901 | StrikeBolt  |

**Ordering:** To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)

*SecuRam: Reliable. Innovative. Trusted.*

**SecuRAM**



# SafeLogic PN Series

## Features

- 2 User Codes
  - Manager Code
  - User Code
- 6 Digit Code
- Penalty LockOut after 4 incorrect codes
- Removable Ring – Color Change
- Polycarbonate EntryPad Housing
- Can be paired with any SecuRam Lock
- Simple Mechanical Reset
- Standard footprint makes for easy retrofit
- Finishes:
  - Chrome
  - Brass



Removable Ring for  
Easy Finish Change  
PL-BR – Brass  
PL-CH – Chrome  
See Accessories 5.2



**\*Special Order – 8 Week Delivery**

| Part #         | Description                    |
|----------------|--------------------------------|
| EC-0601A-PN-CH | SafeLogic PN Series – Chrome * |
| EC-0601A-PN-BR | SafeLogic PN Series - Brass *  |

## Choose your Lock:

| Part #  | Description                 |
|---------|-----------------------------|
| EL-0601 | SwingBolt                   |
| EL-0701 | DeadBolt With Bolt Status   |
| EL-0801 | SpringBolt With Bolt Status |
| EL-0901 | StrikeBolt                  |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)



# SafeLogic Custom Locks

**IMPORTANT:** These locks can only be used with SafeLogic EntryPads



|                      | D          | C10         | C30         |
|----------------------|------------|-------------|-------------|
| No. of User Codes    | 3          | 10          | 30          |
| Super Code           | 1          | 1           | 1           |
| Manager Code         | 1          | 1           | 1           |
| User Codes           | 1          | 8           | 28          |
| Time Delay           | 0 - 40 min | 0-45min     | 0-45min     |
| Time Window          | 1 - 20 min | 1-15min     | 1-15min     |
| Time Delay Override  | Super      | Assignable  | Assignable  |
| Dual Mode            | Yes        | Yes         | Yes         |
| Dual Mode Override   | Super      | Super & Mgr | Super & Mgr |
| Disable/Enable Codes | Yes        | Yes         | Yes         |
| System Recovery      | Yes        | Yes         | Yes         |
| Code Digits          | 6 digits   | 8 digits    | 8 digits    |
| Lock Actuator        | Motor      | Motor       | Motor       |

| Part #    | Description                         |
|-----------|-------------------------------------|
| EL-0601-D | SwingBolt - D (3 Users; Dual Mode)  |
| EL-0701-D | DeadBolt - D (3 Users; Dual Mode)   |
| EL-0801-D | SpringBolt - D (3 Users; Dual Mode) |

| Part #      | Description                 |
|-------------|-----------------------------|
| EL-0601-C10 | SwingBolt - C10 (10 users)  |
| EL-0701-C10 | DeadBolt - C10 (10 Users)   |
| EL-0801-C10 | SpringBolt - C10 (10 Users) |

| Part #      | Description                 |
|-------------|-----------------------------|
| EL-0601-C30 | SwingBolt - C30 (30 users)  |
| EL-0701-C30 | DeadBolt - C30 (30 Users)   |
| EL-0801-C30 | SpringBolt - C30 (30 Users) |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)



# ProLogic L01

## Features

- LCD Screen for Easy programming
- 3 User Codes
  - Super Code
  - Manager Code
  - User Code
- 6 Digit Code
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Simple Mechanical Reset
- Standard footprint makes for easy retrofit
- SureLock Battery Management
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome



| Part #             | Description                 |
|--------------------|-----------------------------|
| EC-0601A-L01-II-CH | ProLogic L01- Chrome        |
| EC-0601A-L01-II-BR | ProLogic L01- Brass*        |
| EC-0601A-L01-II-NI | ProLogic L01- Nickel*       |
| EC-0601A-L01-II-BC | ProLogic L01- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ProLogic B01 w/ Smart Phone Connectivity

## Features

- **Pair with your Smartphone using SecuRam Access App**
- OLED Screen for easy viewing & programming
- 3 User Codes
  - Super Code
  - Manager Code
  - User Code
- 6 Digit Code
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Simple Mechanical Reset
- Standard footprint makes for easy retrofit
- SureLock Battery Management
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome



| Part #             | Description                 |
|--------------------|-----------------------------|
| EC-0601A-B01-II-CH | ProLogic B01- Chrome        |
| EC-0601A-B01-II-BR | ProLogic B01- Brass*        |
| EC-0601A-B01-II-NI | ProLogic B01- Nickel*       |
| EC-0601A-B01-II-BC | ProLogic B01- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #  | Description                 |
|---------|-----------------------------|
| EL-0601 | SwingBolt                   |
| EL-0701 | DeadBolt With Bolt Status   |
| EL-0801 | SpringBolt With Bolt Status |
| EL-0901 | StrikeBolt                  |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)

SecuRam: Reliable. Innovative. Trusted.

**SecuRAM**



# ProLogic L02

## Features

- LCD Screen for Easy programming
- 30 User Codes: 2 manager codes, and 28 user codes
- Super code for programming management and control
- 6 Digit Code
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Can Control up to 4 locks
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Standard footprint makes for easy retrofit
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome



| Part #             | Description                 |
|--------------------|-----------------------------|
| EC-0601A-L02-II-CH | ProLogic L02- Chrome        |
| EC-0601A-L02-II-BR | ProLogic L02- Brass*        |
| EC-0601A-L02-II-NI | ProLogic L02- Nickel*       |
| EC-0601A-L02-II-BC | ProLogic L02- Black Chrome* |

## Choose your Lock:

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ProLogic L22

## Features

- OLED Screen for Easy programming
- 30 User Codes: 2 manager codes, and 28 user codes
- Super code for programming management and control
- 6 Digit Code
- 200 Event Date/Time stamped audit trail
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Can Control up to 4 locks
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Standard footprint makes for easy retrofit
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome



| Part #             | Description                 |
|--------------------|-----------------------------|
| EC-0601A-L22-II-CH | ProLogic L22- Chrome        |
| EC-0601A-L22-II-BR | ProLogic L22- Brass*        |
| EC-0601A-L22-II-NI | ProLogic L22- Nickel*       |
| EC-0601A-L22-II-BC | ProLogic L22- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |




# ProLogic L62

## Features

- OLED Screen for Easy programming
- 30 User Codes: 2 manager codes, and 28 user codes
- Super code for programming management and control
- 6 Digit Code
- 500 Event Date/Time stamped audit trail
- Wireless audit download to Wireless Link+
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes -selectable
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Max Door Open Time – Alert
- Dual Mode Group – set some users in Dual mode
- Auto DayLight Savings Time
- Can Control up to 4 locks w/ Lock Sequencing
- Can be paired with any SecuRam Lock
- Standard footprint makes for easy retrofit



+Software Package including Wireless Link sold separately WSK-Audit.



| Part #             | Description                 |
|--------------------|-----------------------------|
| EC-0601A-L62-II-CH | ProLogic L62 Chrome         |
| EC-0601A-L62-II-BR | ProLogic L62- Brass*        |
| EC-0601A-L62-II-NI | ProLogic L62- Nickel*       |
| EC-0601A-L62-II-BC | ProLogic L62- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ProLogic L66

## Features

- OLED Screen for Easy programming
- 30 User Codes: 2 manager codes, and 28 user codes
- Super code for programming management/control
- 6 Digit Code
- 500 Event Date/Time stamped audit trail
- Wireless audit download to Wireless Link+
- TimeLock, Holiday Scheduling
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes -selectable
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Max Door Open Time – Alert
- Dual Mode Group – set some users in Dual mode
- Auto DayLight Savings Time
- Can Control up to 4 locks w/ Lock Sequencing
- Can be paired with any SecuRam Lock
- Standard footprint makes for easy retrofit



+Software Package including Wireless Link sold separately WSK-Audit.



| Part #             | Description                 |
|--------------------|-----------------------------|
| EC-0601A-L66-II-CH | ProLogic L66 Chrome         |
| EC-0601A-L66-II-BR | ProLogic L66- Brass*        |
| EC-0601A-L66-II-NI | ProLogic L66- Nickel*       |
| EC-0601A-L66—II-BC | ProLogic L66- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ProLogic E66

## Features

- OLED Screen for Easy programming
- 30 User Codes: 2 Manager codes, and 28 user codes
- Dual Credential options using Code and eKey
- 500 event audit trail can be viewed on-screen
- Wireless Audit Download
- TimeLock, Holiday Scheduling
- Time Delay 0-99min; Time Window 1 -15min
- Time Delay Override Capability for up to 30 Users
- Time Lock Override Capability for up to 30 Users
- Recovery code can be used to reset the controller to factory default
- Single or Dual Control Modes
- Dual Mode Group – establish Group “A” and “B” : “A” +”B” required to open
- Auto DayLight Savings Time
- EntryPad can control up to 2 locks with programmable lock sequence
- Supports single user mode and dual user mode
- Can be paired with any SecuRam Lock: SwingBolt, DeadBolt, SpringBolt, and StrikeBolt
- SureLock Battery Management
- AC Power optional



**\*Special Order – 8 Week Delivery**

| Part #             | Description   |
|--------------------|---|
| EC-0601A-E66-II-CH | ProLogic E66- Chrome with SureLock Battery Management |
| eKey               | eKey for use with ProLogic E66 Dual Credentials       |

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ProLogic OL66

## Features

- Large OLED Screen for Easy programming
- 30 User Codes: 2 manager codes, and 28 user codes
- Super code for programming management and control
- 6 Digit Code
- 500 Event Date/Time stamped audit trail
- Wireless audit download to WirelessLink+
- TimeLock, Holiday Scheduling
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes -selectable
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Max Door Open Time – Alert
- Dual Mode Group – set some users in Dual mode
- Auto DayLight Savings Time
- Can Control up to 4 locks w/ Lock Sequencing
- Can be paired with any SecuRam Lock
- SureLock Battery Management is standard, AC optional
- Standard footprint makes for easy retrofit



+Software Package including  
Wireless Link sold separately WSK-Audit.

**\*Special Order – 8 Week Delivery**

| Part #              | Description                  |
|---------------------|------------------------------|
| EC-0601A-OL66-II-CH | ProLogic OL66 Chrome*        |
| EC-0601A-OL66-II-BR | ProLogic OL66- Brass*        |
| EC-0601A-OL66-II-NI | ProLogic OL66- Nickel*       |
| EC-0601A-OL66-II-BC | ProLogic OL66- Black Chrome* |

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ProLogic L66WR

## Features

- Water Resistant EntryPad
- OLED Screen for Easy programming
- 30 User Codes: 2 manager codes, and 28 user codes
- Super code for programming management and control
- 6 Digit Code
- 500 Event Date/Time stamped audit trail
- Wireless audit download to WirelessLink+
- TimeLock, Holiday Scheduling
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes -selectable
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Max Door Open Time – Alert
- Dual Mode Group – set some users in Dual mode
- Auto DayLight Savings Time
- Can Control up to 4 locks w/ Lock Sequencing
- Can be paired with any SecuRam e Lock
- SureLock Battery Management is standard
- Standard Footprint for easy retrofit – adaptor plate for EntryPad mounting included



+Software Package including  
Wireless Link sold separately WSK-Audit.

**\*Special Order – 8 Week Delivery**

| Part #               | Description            |
|----------------------|------------------------|
| EC-0601A-L66WR-II-NI | ProLogic L66WR Nickel* |

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ProLogic WebLink

## Features

- OLED Screen for Easy programming
- 36 User Codes plus 2 Manager Codes, 2 Time Management Codes
- Super Code for programming management and control
- 6 Digit Code
- 500 Event Date/Time stamped audit trail
- LIVE audit updates
- Remotely Programmable Across Network
- TimeLock, Holiday Scheduling
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes -selectable
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Max Door Open Time – Alert
- Dual Mode Group – Supervisor/User
- Auto DayLight Savings Time
- Can Control up to 4 locks w/ Lock Sequencing
- Can be paired with any SecuRam Lock
- Standard footprint makes for easy retrofit
- SureLock Battery Management is standard
- Finishes: Chrome, Brass, Nickel, Black Chrome



+WebLink software sold separately



| Part #             | Description                 |
|--------------------|-----------------------------|
| EC-0601A-L90-II-CH | ProLogic L90 Chrome         |
| EC-0601A-L90-II-BR | ProLogic L90- Brass*        |
| EC-0601A-L90-II-NI | ProLogic L90- Nickel*       |
| EC-0601A-L90-II-BC | ProLogic L90- Black Chrome* |

## Choose your Lock:

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |

SecuRam: Reliable. Innovative. Trusted.

**SecuRAM**



# ProLogic R22

## Features

- OLED Screen for Easy programming
- 60 User Codes: 2 manager codes, 18 user codes, 40 One Time Code Users
- Super code for programming management and control
- 6 Digit Code
- 200 Event Date/Time stamped audit trail
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Can Control up to 4 locks
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Standard footprint makes for easy retrofit
- Finishes: Chrome, Brass, Nickel, Black Chrome

Dispatch Software must be used to manage system  
(WSK-R22 Dispatch Software sold separately page 6.4 )



| Part #             | Description                 |
|--------------------|-----------------------------|
| EC-0601A-R22-II-CH | ProLogic R22- Chrome        |
| EC-0601A-R22-II-BR | ProLogic R22- Brass*        |
| EC-0601A-R22-II-NI | ProLogic R22- Nickel*       |
| EC-0601A-R22-II-BC | ProLogic R22- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ProLogic OTC

## Features

- Designed specifically for ATM Security Management
- Central Management of ATM portfolio
- Real-time OTC: "One Time Codes"
- Connectivity via SmartPhone App
- Close Seal is automatically transmitted to Dispatch software via SmartPhone App
- OLED Screen for Easy use
- Live Audit - Date/Time stamped audit trail
- Single or Dual Control Modes
- Max Door Open Time – Alert
- Auto DayLight Savings Time
- Can be used with Door Switch, Door Buzzer
- Standard footprint makes for easy retrofit
- No Vendor Meets required
- No Dallas Keys required
- Dispatch Software must be used to manage system
- (WSK-OTC Dispatch Software sold separately page 6.4)
- Android App: free of charge



| Part #              | Description           |
|---------------------|-----------------------|
| EC-0601A-B266-II-CH | ProLogic OTC – Chrome |

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# SafeLogic Xtreme

## Features:

- EMP Proof
- Electronic and Mechanical Access
- Enter Code for Digital Access
- Dial Combination for Spin Dial Access
- 2 User Codes -6 Digit Code
  - Manager Code
  - User Code
- 1 Combination – Default 50-50-50
- Instant AutoLock feature
- BackLit Entrypad + SpinDial Lighting
- Penalty LockOut after 4 incorrect codes
- 3 Wheel Mechanical Lock Mechanism
- Standard footprint makes for easy retrofit
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome



Push button access for every day use



- Smart Phone Connectivity optional  
(Order EC-1501B-X)



SpinDial Access for Xtreme situations

| Part #        | Description                     |
|---------------|---------------------------------|
| EC-1501A-X-CH | SafeLogic Xtreme- Chrome        |
| EC-1501A-X-BR | SafeLogic Xtreme- Brass*        |
| EC-1501A-X-NI | SafeLogic Xtreme- Nickel*       |
| EC-1501A-X-BC | SafeLogic Xtreme- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

Note: EntryPad comes with Spindle, Change Key and all necessary components

| Part #  | Description                   |
|---------|-------------------------------|
| XL-1501 | SwingBolt / 3Wheel Mechanical |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)

SecuRam: Reliable. Innovative. Trusted.

# SecuRAM



# SafeLogic Xtreme with Smart Phone Connectivity

## Features

- EMP Proof
- Electronic and Mechanical Access
- Enter Code for Digital Access
- Dial Combination for Spin Dial Access
- 2 User Codes -6 Digit Code
  - Manager Code
  - User Code
- 1 Combination – Default 50-50-50
- Instant AutoLock feature
- BackLit Entrypad + SpinDial Lighting
- Penalty LockOut after 4 incorrect codes
- 3 Wheel Mechanical Lock Mechanism
- Standard footprint makes for easy retrofit
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome



Push button access for every day use



•Smart Phone Connectivity



SpinDial Access for Xtreme situations

| Part #        | Description                     |
|---------------|---------------------------------|
| EC-1501B-X-CH | SafeLogic Xtreme- Chrome        |
| EC-1501B-X-BR | SafeLogic Xtreme- Brass*        |
| EC-1501B-X-NI | SafeLogic Xtreme- Nickel*       |
| EC-1501B-X-BC | SafeLogic Xtreme- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

Note: EntryPad comes with Spindle, Change Key and all necessary components

| Part #  | Description                   |
|---------|-------------------------------|
| XL-1501 | SwingBolt / 3Wheel Mechanical |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)

SecuRam: Reliable. Innovative. Trusted.

**SecuRAM**



# ProLogic Xtreme L02

## Features

- Electronic and Mechanical Access
- Enter Code for Digital Access
- Dial Combination for Spin Dial Access
- OLED Screen for Easy programming
- 30 User Codes: 2 manager codes, and 28 user codes
- Super code for programming management and control
- 6 Digit Code
- 1 Combination – Default 50-50-50
- Single or Dual Control
- Time Delay 0-99min
- Controls 1 Electromechanical + up to 3 Electronic Locks
- Instant AutoLock feature
- BackLit Entrypad + SpinDial Lighting
- Penalty LockOut after 4 incorrect codes
- 3 Wheel Mechanical Lock Mechanism
- Penalty LockOut after 4 incorrect codes
- Standard footprint makes for easy retrofit



Push button access for every day use



SpinDial Access for Xtreme situations

**\*Special Order – 8 Week Delivery**

| Part #            | Description                        |
|-------------------|------------------------------------|
| EC-1501A-X-L02-CH | ProLogic Xtreme L02- Chrome*       |
| EC-0601A-X-L02-BR | ProLogic Xtreme L02- Brass*        |
| EC-0601A-X-L02-NI | ProLogic Xtreme L02- Nickel*       |
| EC-0601A-X-L02-BC | ProLogic Xtreme L02- Black Chrome* |

**Note: EntryPad comes with Spindle, Change Key and all necessary components**

| Part #  | Description                   |
|---------|-------------------------------|
| XL-1501 | SwingBolt / 3Wheel Mechanical |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)

SecuRam: Reliable. Innovative. Trusted.

**SecuRAM**



# ProLogic Xtreme L22

## Features

- Electronic and Mechanical Access
- Enter Code for Digital Access
- Dial Combination for Spin Dial Access
- OLED Screen for Easy programming
- 30 User Codes: 2 manager codes, and 28 user codes
- Super code for programming management and control
- 6 Digit Code
- 1 Combination – Default 50-50-50
- 200 Time and Date Stamped Audit Trail
- Single or Dual Control
- Time Delay 0-99min
- Controls 1 Electromechanical + up to 3 Electronic Locks
- Instant AutoLock feature
- BackLit Entrypad + SpinDial Lighting
- Penalty LockOut after 4 incorrect codes
- 3 Wheel Mechanical Lock Mechanism
- Penalty LockOut after 4 incorrect codes
- Standard footprint makes for easy retrofit



Push button access for every day use



SpinDial Access for Xtreme situations

**\*Special Order – 8 Week Delivery**

| Part #            | Description                        |
|-------------------|------------------------------------|
| EC-1501A-X-L22-CH | ProLogic Xtreme L22- Chrome*       |
| EC-0601A-X-L22-BR | ProLogic Xtreme L22- Brass*        |
| EC-0601A-X-L22-NI | ProLogic Xtreme L22- Nickel*       |
| EC-0601A-X-L22-BC | ProLogic Xtreme L22- Black Chrome* |

**Note: EntryPad comes with Spindle, Change Key and all necessary components**

| Part #  | Description                   |
|---------|-------------------------------|
| XL-1501 | SwingBolt / 3Wheel Mechanical |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)

SecuRam: Reliable. Innovative. Trusted.

**SecuRAM**



# ProLogic Xtreme L66

## Features

- Electronic and Mechanical Access
- Enter Code for Digital Access
- Dial Combination for Spin Dial Access
- OLED Screen for Easy programming
- 30 User Codes: 2 manager codes, and 28 user codes
- Super code for programming management and control
- 6 Digit Code
- 1 Combination – Default 50-50-50
- 500 Time and Date Stamped Audit Trail - Downloadable
- Single or Dual Control
- Time Delay 0-99min
- TimeLock functionality
- Controls 1 Electromechanical + up to 3 Electronic Locks
- Instant AutoLock feature
- BackLit Entrypad + SpinDial Lighting
- Penalty LockOut after 4 incorrect codes
- 3 Wheel Mechanical Lock Mechanism
- Penalty LockOut after 4 incorrect codes
- Standard footprint makes for easy retrofit



Push button access for every day use



SpinDial Access for Xtreme situations

**\*Special Order – 8 Week Delivery**

| Part #            | Description                        |
|-------------------|------------------------------------|
| EC-1501A-X-L66-CH | ProLogic Xtreme L66- Chrome*       |
| EC-0601A-X-L66-BR | ProLogic Xtreme L66- Brass*        |
| EC-0601A-X-L66-NI | ProLogic Xtreme L66- Nickel*       |
| EC-0601A-X-L66-BC | ProLogic Xtreme L66- Black Chrome* |

**Note: EntryPad comes with Spindle, Change Key and all necessary components**

| Part #  | Description                   |
|---------|-------------------------------|
| XL-1501 | SwingBolt / 3Wheel Mechanical |

Ordering: To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)

SecuRam: Reliable. Innovative. Trusted.

**SecuRAM**



# ScanLogic Swipe

## Features

- Semiconductor Swipe Fingerprint Authentication
- 10 Fingerprints & 1 Administrator Code
- 10 Digit Administrator Code
- Fast 2 Second response time
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Simple Mechanical Reset
- Standard footprint makes for easy retrofit
- Finishes:
  - Chrome
  - Brass
  - Nickel
  - Black Chrome

*Note: Not available with SureLock Battery Management*



| Part #      | Description                    |
|-------------|--------------------------------|
| FPC-0608-CH | ScanLogic Swipe- Chrome        |
| FPC-0608-BR | ScanLogic Swipe- Brass*        |
| FPC-0608-NI | ScanLogic Swipe- Nickel*       |
| FPC-0608-BC | ScanLogic Swipe- Black Chrome* |

**\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery**

## Choose your Lock:

| Part #  | Description                 |
|---------|-----------------------------|
| EL-0601 | SwingBolt                   |
| EL-0701 | DeadBolt With Bolt Status   |
| EL-0801 | SpringBolt With Bolt Status |
| EL-0901 | StrikeBolt                  |

**Ordering:** To Place an order email to: [sales@asiacashms.com](mailto:sales@asiacashms.com)



# ScanLogic Optical

## Features

- LCD Screen for Easy programming
- 30 Fingerprints & User Codes. 2 manager, and 28 user codes
- Super Code programming management and control
- 10 Digit Code
- Level 1 – Code Only
- Level 2– Fingerprint & Code
- Level 3 –Fingerprint or Code
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Can Control up to 4 locks
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- SureLock Battery Management optional
- Can be paired with any SecuRam Lock
- Finishes: Chrome, Brass, Nickel, Black Chrome



| Part #          | Description                      |
|-----------------|----------------------------------|
| FPC-0601A-II-CH | ScanLogic Optical- Chrome        |
| FPC-0601A-II-BR | ScanLogic Optical- Brass*        |
| FPC-0601A-II-NI | ScanLogic Optical- Nickel*       |
| FPC-0601A-II-BC | ScanLogic Optical- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #    | Description                      |
|-----------|----------------------------------|
| EL-0601   | SwingBolt                        |
| EL-0601-S | SwingBolt Lock With Bolt Status  |
| EL-0701   | DeadBolt Lock With Bolt Status   |
| EL-0801   | SpringBolt Lock With Bolt Status |
| EL-0901   | StrikeBolt                       |



# ScanLogic Audit

## Features

- LCD Screen for Easy programming
- 30 Fingerprints & User Codes. 2 manager, and 28 user codes
- Super Code programming management and control
- 10 Digit Code
- 500 Event Time /Date stamped Audit Trail
- Level 1 – Code Only
- Level 2– Fingerprint & Code
- Level 3 –Fingerprint or Code
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Can Control up to 4 locks
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- SureLock Battery Management optional
- Can be paired with any SecuRam Lock
- Finishes: Chrome, Brass, Nickel, Black Chrome



| Part #            | Description                    |
|-------------------|--------------------------------|
| FPC-0601A-II-M-CH | ScanLogic Audit- Chrome        |
| FPC-0601A-II-M-BR | ScanLogic Audit- Brass*        |
| FPC-0601A-II-M-NI | ScanLogic Audit- Nickel*       |
| FPC-0601A-II-M-BC | ScanLogic Audit- Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #    | Description                      |
|-----------|----------------------------------|
| EL-0601   | SwingBolt                        |
| EL-0601-S | SwingBolt Lock With Bolt Status  |
| EL-0701   | DeadBolt Lock With Bolt Status   |
| EL-0801   | SpringBolt Lock With Bolt Status |
| EL-0901   | StrikeBolt                       |



# ScanLogic D22

## Features

- OLED Screen for Easy programming
- 30 Fingerprints & User Codes. 2 manager, and 28 user codes
- Super Code programming management and control
- 6 Digit Code
- 200 Event Audit –Date/Time stamped
- Duress Function – selectable Duress Code shift
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes –selectable
- Duress Time Delay –to change duration of Time Delay during Duress operation
- Level 1 – Code Only
- Level 2– Fingerprint & Code
- Level 3 –Fingerprint or Code
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Can Control up to 4 locks
- Stainless Steel EntryPad Housing
- Can be paired with any SecuRam Lock
- Finishes: Chrome, Brass, Nickel, Black Chrome
- 10 Button EntryPad for easy code entry
- Penalty LockOut after 4 incorrect codes
- Standard footprint makes for easy retrofit



| Part #              | Description                   |
|---------------------|-------------------------------|
| FPC-0601A-D22-II-CH | ScanLogic D22- Chrome         |
| FPC-0601A-D22-II-BR | ScanLogic D22 – Brass*        |
| FPC-0601A-D22-II-NI | ScanLogic D22 – Nickel*       |
| FPC-0601A-D22-II-BC | ScanLogic D22 - Black Chrome* |

## Choose your Lock:

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ScanLogic D26

## Features

- OLED Screen for Easy programming
- 30 Fingerprints & User Codes. 2 manager, and 28 user codes
- Super Code programming management and control
- 6 Digit Code
- 200 Event Audit –Date/Time stamped
- TimeLock and Holiday Scheduling
- Set ID01 to Master function
- Duress Function – selectable Duress Code shift
- Level 1 – Code Only
- Level 2– Fingerprint & Code
- Level 3 –Fingerprint or Code
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes –selectable
- Duress Time Delay –to change duration of Time Delay during Duress operation
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Can Control up to 4 locks
- Can be paired with any SecuRam Lock
- 10 Digit EntryPad for easy code entry
- Penalty LockOut after 4 incorrect codes
- Stainless Steel EntryPad Housing
- Finishes: Chrome, Brass, Nickel, Black Chrome



| Part #              | Description                   |
|---------------------|-------------------------------|
| FPC-0601A-D26-II-CH | ScanLogic D26- Chrome         |
| FPC-0601A-D26-II-BR | ScanLogic D26 – Brass*        |
| FPC-0601A-D26-II-NI | ScanLogic D26 – Nickel*       |
| FPC-0601A-D26-II-BC | ScanLogic D26 - Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# ScanLogic D66

## Features

- OLED Screen for Easy programming
- 30 Fingerprints & User Codes. 2 manager, and 28 user codes
- Super Code programming management and control
- 6 Digit Code
- 200 Event Audit –Date/Time stamped
- Wireless audit download
- TimeLock and Holiday Scheduling
- Set ID01 to Master function
- Duress Function – selectable Duress Code shift
- Security Levels 1, 2, 3
- Time Delay 0-99min; Time Window 1-15min
- Time Delay Override Codes –selectable
- Duress Time Delay –to change duration of Time Delay during Duress operation
- Recovery Code
- Single or Dual Control Modes
- Enable/Disable User Codes
- Auto DayLight Savings Time
- Can Control up to 4 locks
- Penalty LockOut after 4 incorrect codes
- Can be paired with any SecuRam Lock
- 10 Button EntryPad for easy code entry
- Finishes: Chrome, Brass, Nickel, Black Chrome



+Software Package including Wireless Link sold separately WSK-Audit.

| Part #              | Description                   |
|---------------------|-------------------------------|
| FPC-0601A-D66-II-CH | ScanLogic D66- Chrome         |
| FPC-0601A-D66-II-BR | ScanLogic D66 – Brass*        |
| FPC-0601A-D66-II-NI | ScanLogic D66 – Nickel*       |
| FPC-0601A-D66-II-BC | ScanLogic D66 - Black Chrome* |

\*Brass, Nickel and Black Chrome - Special Order – 8 Week Delivery

## Choose your Lock:

| Part #    | Description                     |
|-----------|---------------------------------|
| EL-0601   | SwingBolt                       |
| EL-0601-S | SwingBolt Lock With Bolt Status |
| EL-0701   | DeadBolt With Bolt Status       |
| EL-0801   | SpringBolt With Bolt Status     |
| EL-0901   | StrikeBolt                      |



# Accessories

## Entrypad Accessories



**45 Degree Adapter**  
Part # 45EP



**SureLock Battery Compartment**  
Part # SL-12



**Replacement Color Ring**  
Part # PL-BR or PL-CH

## Lock Accessory



**Universal Relocker Plate**  
Part # RPU



**Xtrme Left Hand Adapter**  
Part # XLHA-1501

## Multi Lock System Modules and Accessories



**AC Power Adaptor**  
Part #AC/DC9



**Magnetic Door Sensor**  
Part # 5C-3C



**Alarm Buzzer**  
Part #HYD-4023



**Junction Module to connect up to 4 locks and AC power input**  
Part #CB11-1T4



**Expansion Module to connect up to 4 locks, AC power input and alarm integration – 1 Input / 2 Outputs**  
Part # CB10-A

## Software Accessories



**Wireless Link**  
Part # WA-1501A



**Wireless USB Adaptor**  
Part # WA-U02



**Wireless Access Point**  
Part # WA-E01

## Display Stands



**Plexiglass Display Stand**  
Part # LS-A



**Plexiglass Display Stand for SafeLogic Xtrme**  
Part #LS-X



# Accessories

## EntryPad Accessories

| Part # | Description                                       |
|--------|---|
| SL-12  | SureLock Battery Compartment Only                 |
| PL-BR  | Replacement Brass Ring for EC-0601A-PL/PN Series  |
| PL-CH  | Replacement Chrome Ring for EC-0601A-PL/PN Series |
| 45-EP  | 45 Degree EntryPad Adapter                        |

## Multi Lock System Modules and Accessories

| Part #   | Description  |
|----------|--|
| CB1T4    | Junction Cable Interface Board   |
| CB11-1T4 | Junction Box For Multi Locks Up To 4,<br>AC/DC Power Interface,<br>(AC/DC Adaptor Optional)                              |
| CB10-A   | Expansion Module to Control Up To 4, with 2 Door Status Input, 3 Outputs, AC/DC Power Interface (AC/DC Adaptor Optional) |
| AC/DC9   | AC/DC 9V Adaptor   |
| 5C-36    | Magnetic Door Switch   |
| HYD-4023 | Alarm Buzzer (Dc 9V)   |

## Lock Accessories

| Part #    | Description                        |
|-----------|------------------------------------|
| RPU       | Universal Relocker Plate           |
| XLHA-1501 | SafeLogic Xtreme Left Hand Adaptor |



# Accessories

(12\*) (345)

## Lock Cables

| Part #    | Description                    |
|-----------|--------------------------------|
| Cable12in | 4-wire Cable 12 inch (30.48cm) |
| Cable15in | 4-wire Cable 15 inch (38.1cm)  |
| Cable2    | 4-wire Cable 2ft (60.96cm)     |
| Cable3    | 4-wire Cable 3ft (91.44cm)     |
| Cable4    | 4-wire Cable 4ft (121.92cm)    |
| Cable6    | 4-wire Cable 6ft. (182.88cm)   |
| Cable10   | 4-wire Cable 10ft (304.8cm)    |
| Cable15   | 4-wire Cable 15ft (457.2cm)    |

## Tools

| Part # | Description              |
|--------|--------------------------|
| RPU    | Universal Relocker Plate |

## Bolts

| Part # | Description                                      |
|--------|--|
| SB     | Shoulder Bolts for EntryPad (set of 2)           |
| UB     | Universal Bolt Pack (3) 1" Bolts & (2) 1/2"bolts |

## Display Stands

| Part # | Description                                    |
|--------|--|
| LS-A   | Plexi glass Display stand (1 lock per mount)   |
| LS-B   | Plexi glass Display stand (2 lock per mount)   |
| LS-X   | Plexi glass Display stand for SafeLogic Xtreme |



# Accessories - Software

| Software    |  |
|-------------|--|
| Part #      | Description  |
| WSK-Audit   | Audit Software Kit (Kit includes Software + Wireless Link USB/Wireless Audit Receiver)<br>To be used with all wireless audit entrypads |
| WSK-WebLink | WebLink Remote Management System for ProLogic WebLink  |
| WSK-R22     | One Time Code Management for ProLogic R22  |
| WSK-OTC     | Wireless OTC Management Software for use with ProLogic OTC (B266)  |

| Software Accessories |   |
|----------------------|---|
| Part #               | Description   |
| WA-U02               | Wireless USB Adaptor (Required when using WSK-W01)  |
| WA-E01               | Wireless Access Point (For use with WSK-W01 and WebLink. Access Point must be positioned within 20ft of EntryPad) |
| WA-SK                | Security Key for OTC software (WSK-OTC)   |
| WA-AK                | Algorithm Key for OTC software (WSK-OTC)  |



# SafeLogic Series Comparison Table

| Features              | Basic  | Toplit         | BackLit         | PN             | P                   |
|-----------------------|--|----------------|-----------------|----------------|---------------------|
| Number of Codes       | 2  | 2              | 2               | 2              | 2                   |
| Housing               | Stainless Steel                              | Polycarbonate  | Stainless Steel | Polycarbonate  | Polycarbonate       |
| Illumination          |  | TopLit         | BackLit         |                |                     |
| Battery               | SureLock /<br>Back of EntryPad<br>(Optional) | Removable Ring | SureLock        | Removable Ring | Back of<br>EntryPad |
| Changeable Color Ring |  | ✓              |                 | ✓              |                     |
| Mechanical Reset      | ✓  | ✓              | ✓               | ✓              | ✓                   |
| Finishes:<br>Chrome   | ✓  | ✓              | ✓               | ✓              | ✓                   |
| Brass                 | ✓  | ✓              | ✓               | ✓              | ✓                   |
| Nickel                | ✓  |                | ✓               |                |                     |
| Black Chrome          | ✓  |                | ✓               |                |                     |

SafeLogic EntryPads can be paired with any SecuRam Lock Body:  
SwingBolt, DeadBolt, SpringBolt, StrikeBolt



SwingBolt



SpringBolt



DeadBolt



StrikeBolt



# ProLogic Series Comparison Table

| Features                          | L01 | B01 | L02 | L22 | L62 | L66 | WebLink | R22       | OTC       |
|-----------------------------------|-----|-----|-----|-----|-----|-----|---------|-----------|-----------|
| Number of Codes                   | 2   | 2   | 30  | 30  | 30  | 30  | 36      | 20 Static | 10 Static |
| Super Code                        | 1   | 1   | 1   | 1   | 1   | 1   | 1       | 1         | 1         |
| OTC Codes                         |     |     |     |     |     |     |         | 40        | Unlimited |
| Bluetooth                         |     | ✓   |     |     |     |     |         |           | ✓         |
| Dual Control                      |     |     | ✓   | ✓   | ✓   | ✓   | ✓       | ✓         | ✓         |
| Time Delay                        |     |     | ✓   | ✓   | ✓   | ✓   | ✓       | ✓         | ✓         |
| Controls up to 4 Locks            |     |     | ✓   | ✓   | ✓   | ✓   | ✓       | ✓         | ✓         |
| Duress                            |     |     |     | ✓   | ✓   | ✓   | ✓       | ✓         | ✓         |
| Audit Trail – Viewable on Display |     |     |     | ✓   | ✓   | ✓   | ✓       | ✓         | ✓         |
| Downloadable Audit Trail          |     |     |     |     | ✓   | ✓   | ✓       |           | ✓         |
| TimeLock                          |     |     |     |     |     | ✓   | ✓       |           | ✓         |
| Live Audit Stream                 |     |     |     |     |     |     | ✓       |           | ✓         |
| Remotely Programmable             |     |     |     |     |     |     | ✓       |           | ✓         |
| One Time Code                     |     |     |     |     |     |     | ✓       | ✓         | ✓         |

ProLogic EntryPads can be paired with any SecuRam Lock Body:  
SwingBolt, DeadBolt, SpringBolt, StrikeBolt



SwingBolt



SpringBolt



DeadBolt



StrikeBolt




# Xtreme Series Comparison Table

| Features                | SafeLogic Xtreme | SafeLogic Xtreme w/ Smartphone Connectivity | ProLogic Xtreme L02 | ProLogic Xtreme L22 | ProLogic Xtreme L66 |
|-------------------------|------------------|---|---------------------|---------------------|---------------------|
| Number of Codes         | 2                | 2   | 30                  | 30                  | 30                  |
| Super Code              | Manager Code     | Manager Code                                | 1                   | 1                   | 1                   |
| Mechanical Combination  | ✓                | ✓   | ✓                   | ✓                   | ✓                   |
| Smartphone Connectivity |                  | ✓   |                     |                     |                     |
| Display                 |                  |   | ✓                   | ✓                   | ✓                   |
| Dual Control            |                  |   | ✓                   | ✓                   | ✓                   |
| Time Delay              |                  |   | ✓                   | ✓                   | ✓                   |
| Duress                  |                  |   |                     | ✓                   | ✓                   |
| Audit Trail             |                  |   |                     | ✓                   | ✓                   |
| Wireless                |                  |   |                     |                     | ✓                   |
| TimeLock                |                  |   |                     |                     | ✓                   |




SafeLogic Xtreme



SpinDial Access for Xtreme situations



ProLogic Xtreme



SpinDial Access for Xtreme situations



Xtreme SwingBolt LockBody



# ScanLogic Series Comparison Table

| Features                          | Swipe | Optical | Audit | D22 | D26 | D66 |
|-----------------------------------|-------|---------|-------|-----|-----|-----|
| Number of Codes                   | 1     | 30      | 30    | 30  | 30  | 30  |
| Number of Fingerprints            | 10    | 30      | 30    | 30  | 30  | 30  |
| Security Levels                   | ✓     | ✓       | ✓     | ✓   | ✓   | ✓   |
| Time Delay                        | ✓     | ✓       | ✓     | ✓   | ✓   | ✓   |
| Controls up to 4 Locks            | ✓     | ✓       | ✓     | ✓   | ✓   | ✓   |
| Dual Control                      |       | ✓       | ✓     | ✓   | ✓   | ✓   |
| Audit Trail – Viewable on Display |       |         | ✓     | ✓   | ✓   | ✓   |
| Downloadable Audit Trail          |       |         |       |     |     | ✓   |
| TimeLock                          |       |         |       |     | ✓   | ✓   |
| Live Audit Stream                 |       |         |       |     |     |     |
| Remote Programmability            |       |         |       |     |     |     |

ScanLogic EntryPads can be paired with any SecuRam Lock Body:  
SwingBolt, DeadBolt, SpringBolt, StrikeBolt



SwingBolt



SpringBolt



DeadBolt



StrikeBolt