

Secvest Wireless Window Bar Lock FOS 550 E - AL0089

(white)

Art. no. FUFT50030W

Page 1 of 3



- Active intrusion protection (immediately detects break-in attempts)
- With automatic locking system ("window closed" = "window secured")
- Two locking points with pressure resistance of over one tonne
- Suitable for windows and French doors with turning and tilt-and-turn fittings that open inwardly

Active intrusion protection for windows and French doorsThe VdS-approved FOS 550 E wireless window bar lock actively secures windows and French doors. The dual-point automatic locking system and effective magnetic field sensors prevent intruders from entering with a pressure resistance of up to one tonne and report even the first attempt at opening to the Secvest alarm panel. The Secvest wireless window bar lock is suitable for windows and French doors with turning and tilt-and-turn fittings that open inwardly, and is available in white and brown.

Technical Data:

Approval no.	M 197093
Connections	Clamping terminal
Battery type	2 x 1.5 V LR03 AAA alkaline batteries, Varta Industrial / Industrial Pro, Duracell Industrial, Panasonic Powerline
Width	32 mm
Type of detection	Magnetic field measurement
Transmission power	10 mW
Height	50 mm
Length	170 mm
Max. battery life	2 y
Max. operating temperature	55 °C

Max. sending range (outdoors)	100 m
Max. sending range (building)	30 m
Min. operating temperature	-10 °C
Modulation	FM
Installation location	Windows and French windows
Tamper monitoring	Yes
Closure number	AL0089
Sensor type	Magnetic switch and magnetic field sensor system
Voltage monitoring	Yes

Secvest Wireless Window Bar Lock FOS 550 E - AL0089 (white)

Art. no. FUFT50030W

Page 2 of 3

DC voltage supply	3 V
-------------------	-----



Security Tech Germany

Secvest Wireless Window Bar Lock FOS 550 E - AL0089 (white)

Art. no. FUFT50030W

Page 3 of 3

Technical Data:

Environmental class	II
---------------------	----

Certifications	VdS
----------------	-----